



Growth and Resource Management
Building and Zoning
123 W. Indiana Ave., DeLand, FL. 32720
www.volusia.org

NOTICE

The Florida Building Code 2006 supplement becomes effective December 8, 2006. Chapter 13 (Energy Efficiency) has received significant revisions such as the minimum efficiency requirements on air conditioning equipment being raised to SEER 13. As a result of these changes, the Energy Forms and associated FLA/COM-2004 & the FLA/RES-2004 computer programs have been adjusted. As of December 8, 2006; only the revised Energy Forms as outlined in the Supplement excerpts below can be accepted for permit applications.

COMMERCIAL

13-400.3.ABC.3 forms. Forms referenced in Table 400.3.ABC.3 shall be used to demonstrate code compliance with this chapter. Climate zones are listed by county and city in Appendix 13-A of this chapter.

INDEX TO COMMERCIAL CODE COMPLIANCE FORMS

METHOD.	FORM NO
Method A Whole Building Performance	Form 400A-04R (FLA/COM Computer printout)
Method B Building Envelope Trade-off	Form 400B-04R (FLA/COM Computer printout)
Method C Buildings Prescriptive Envelope	Form 400C-04 (separate forms for N, C & S FL)

13-400.3.A Method A forms. An accurately completed Form 400A-04R (generated by the FLA/COM-2004 computer program, Version 2.5) demonstrating that code compliance has been achieved shall be submitted to the building official for Method A compliance.

13-400.3.B Method B forms. An accurately completed Form 400B-04R (generated by the FLA/COM-2004 computer program, Version 2.5) demonstrating that code compliance has been achieved shall be submitted to the building official for Method B compliance.

RESIDENTIAL

13-600.3.A Forms used for Method A compliance. Form 600A-04R or a printout of the FLA/RES-04 computer program, Version 4.5, shall be used to demonstrate code compliance by Method A, the whole building performance method.

13-600.3.B Forms used for Method B compliance. Form 600B-04R shall be completed and submitted to the building department to demonstrate that all prescriptive requirements have been met. Form 600B-04R contains the compliance packages used to demonstrate code compliance by Method B of Subchapter 13-6, the component prescriptive method.

13-600.3.C Forms used for Method C compliance. Form 600C-04R shall be completed and submitted to the building department to demonstrate that all prescriptive requirements have been met for buildings complying with the code by Method C, the limited applications prescriptive method.

The Florida Building Code 2006 supplement can be viewed in it's entirety @

http://www.dca.state.fl.us/fbc/thecode/1_code_modifications.htm

The FLA/COM-2004 & the FLA/RES-2004 computer programs, Version 4.5 is available @

<http://energygauge.com/>