



GROWTH AND RESOURCE MANAGEMENT

Building and Zoning
123 West Indiana Ave., Deland, FL 32720
DeLand (386) 736-5929, Daytona Beach (386) 254-4680
Fax (386) 943-7096
www.volusia.org/permitcenter

ATTENTION ALL OUTDOOR ADVERTISERS

IN TRYING TO BE AS CONSISTENT AS POSSIBLE WITH THE NEW BUILDING CODES, WE IN VOLUSIA COUNTY GROWTH AND RESOURCE MANAGEMENT/BUILDING WILL REQUIRE AN ENGINEER'S SEAL, DATE AND SIGNATURE VERIFYING WIND LOADS AND STRUCTURAL STABILITY OF ALL SIGNS. THE EXCEPTIONS ARE LISTED BELOW.

SIGNS WHICH REQUIRE ENGINEERING ARE:

- 1. GREATER THAN 10 FT. IN HEIGHT**
- 2. HAVE MORE THAN 32 SQ. FT. OF AREA**
- 3. OF AN UNUSUAL NATURE AS DETERMINED BY THE COUNTY OF VOLUSIA PLANS EXAMINER (BUILDING DEPARTMENT).**

THE SIGNS EXCLUDED FROM THE REQUIRED ENGINEERING MUST FOLLOW THE MINIMUMS LISTED BELOW:

- 1. ALL POSTS MUST BE PRESSURE TREATED AND A MINIMUM 4" X 4".**
- 2. POST MUST BE EMBEDDED A MINIMUM 3' (2' IF ENCASED IN CONCRETE WITH 6" COVER).**
- 3. PLYWOOD USED MUST BE A MINIMUM 2" CDX PRESSURE TREATED.**
- 4. ATTACHMENT FOR THE PLYWOOD MUST BE A MINIMUM:**
 - A. #12 X 1-1/2" WOOD SCREWS 6" ON CENTER-OR-**
 - B. 8D COMMON NAILS 4" ON CENTER.**

09/03