



#### NOTES

1. HEIGHT OF SIGN WILL DEPEND ON LOCATION AND SURROUNDING LANDSCAPE PLANT TYPES. IN ALL CASES, THE SIGN SHALL BE VISIBLE TO THE PUBLIC.
2. SIGN LETTERS AND GRAPHIC SYMBOLS SHALL BE "PANTONE PURPLE" COLOR OR EQUIVALENT. (FEDERAL HIGHWAY SIGN COLOR)
3. BACKGROUND SHALL BE REFLECTIVE COLORED "WHITE" OR EQUIVALENT. (FEDERAL HIGHWAY SIGN COLOR)
4. POST SHALL BE U CHANNEL, 2 LB. HOT ROLLED HIGH TENSILE RAIL OR OR BILLET STEEL WITH GALVANIZED FINISH PER ASTM A-123.
5. MOUNTING HARDWARE SHALL BE STAINLESS STEEL.
6. MINIMUM DEPTH OF BURIAL OF SIGN POST SHALL BE 4'.
7. SIGN BLANK SHALL BE REFLECTIVE ALUMINUM 0.080" THICK.
8. VOLUSIA COUNTY LOGO SHALL NOT BE A DECAL.

## **IRRIGATED WITH RECLAIMED WATER SIGN**

UPDATED JUNE 2016