





Local Examples



Varied Colors & Textures



MSE Walls



- Typical 5' MSE Wall Panels


New Block Wall System

ACP, Inc.

Project Case Study




LANDMARK Retaining Wall System, for FDOT Applications



Typical Cross-Section

Project: Hooks Street Extension, Lake County, FL (Clermont, FL)
Contractor: Associated Construction Products (ACP), Inc. Lutz, FL
Details: Anchor's *Landmark Wall System*. 465lf x 14ft max height. Project was monitored & tested by FDOT, and used as pilot project to achieve statewide approval by Department for MSE & CIP wall applications.
Installed: Sept 2011



See anchorwall.com
for installation instructions.



Landmark
Lock Bar



Units	Full	Tapered Full
Approximate Dimensions*	15" x 8" x 12 ⁵ / ₈ " 15" x 8" x 11 ⁷ / ₈ "	15" x 8" x 12 ⁵ / ₈ " 15" x 8" x 11 ⁷ / ₈ "
Approximate Weight*	85 lbs.	80 lbs.
Coverage	0.83 sq. ft.	0.83 sq. ft.
Setback/System Batter	1"/3.8°	1"/3.8°



Units	Tapered Half-High	Foundation
Approximate Dimensions*	7 ¹ / ₂ " x 8" x 12 ³ / ₁₆ " 7 ¹ / ₂ " x 8" x 11 ¹³ / ₁₆ "	7 ¹ / ₂ " x 8" x 11 ³ / ₄ "
Approximate Weight*	50 lbs.	48 lbs.
Coverage	0.42 sq. ft.	0.42 sq. ft.
Setback/System Batter	1/2"/3.8°	0"



Units	Corner	Cap
Approximate Dimensions*	Front, 7 ¹ / ₂ " x 17 ¹ / ₂ " x 9" Back, 7 ¹ / ₂ " x 17 ¹ / ₂ " x 9"	3 ³ / ₄ " x 17 ¹ / ₄ " x 10 ³ / ₈ " 3 ³ / ₄ " x 11" x 10 ³ / ₈ "
Approximate Weight*	87 lbs.	43 lbs.
Coverage	1.41 sq. ft.	1.18 lin. ft.

Color Options



Local Examples

