

For Immediate Release

August 29, 2008

Contact Press Office: 850-245-4111

****TROPICAL STORM/HURRICANE FACT SHEET****

DEPARTMENT OF HEALTH URGES PRECAUTIONARY MEASURES TO PREVENT WEST NILE VIRUS AND OTHER MOSQUITO-BORNE ILLNESSES

TALLAHASSEE – Due to floodwaters from Tropical Storm Fay, Florida Department of Health (DOH) officials emphasize the importance of Florida's residents and visitors protecting themselves against mosquito-borne diseases.

DOH continues to advise the public to remain diligent in protecting themselves from mosquito bites by following the "5 D's," which include:

- **Dusk and Dawn** – Avoid being outdoors when mosquitoes are seeking blood. For many species, this is during the dusk and dawn hours.
- **Dress** – Wear clothing that covers most of your skin.
- **DEET** – When the potential exists for exposure to mosquitoes, repellents containing DEET (N,N-diethyl-meta-toluamide, or N,N-diethyl-3-methylbenzamide) are recommended. Picaridin and oil of lemon eucalyptus are other repellent options. If additional protection is necessary, a permethrin repellent can be applied directly to your clothing. Again, always follow the manufacturer's directions.
- **Drainage** – Check around your home to rid the area of standing water, which is where mosquitoes can lay their eggs.

Tips on Repellent Use

- Always **read label directions carefully** for the approved usage before applying a repellent to skin. Some repellents are not suitable for children.
- Products with concentrations of up to 30 percent DEET are generally recommended. Other potential mosquito repellents, as reported by the Centers for Disease Control and Prevention (CDC) in April 2005, contain picaridin or oil of lemon eucalyptus. These products are generally available at local pharmacies. Look for active ingredients to be listed on the product label.
- Apply insect repellent to exposed skin, or onto clothing, but **not under clothing**.
- In protecting children, read label instructions to be sure the repellent is **age-appropriate**. According to the CDC, mosquito

repellents containing oil of lemon eucalyptus should not be used on children under the age of 3 years. DEET is not recommended on children younger than 2 months old.

- Infants should be kept indoors or mosquito netting should be used over carriers when mosquitoes are present.
- **Avoid applying repellents to the hands of children.** Adults should apply repellent first to their own hands and then transfer it to the child's skin and clothing.
- If additional protection is necessary, apply a permethrin repellent directly to your clothing. Again, always follow the manufacturer's directions.

Tips on Eliminating Mosquito Breeding Sites

Elimination of breeding sites is one of the keys to prevention.

- Clean out eaves, troughs and gutters.
- Remove old tires or drill holes in those used in playgrounds to drain.
- Turn over or remove empty plastic pots.
- Pick up all beverage containers and cups.
- Check tarps on boats or other equipment that may collect water.
- Pump out bilges on boats.
- Replace water in birdbaths and pet or other animal feeding dishes at least once a week.
- Change water in plant trays, including hanging plants, at least once a week.
- Remove vegetation or obstructions in drainage ditches that prevent the flow of water.

Symptoms of West Nile virus may include headache, fever, fatigue, dizziness, weakness and confusion. Physicians should contact their county health department if they suspect an individual may have a mosquito-borne illness. DOH laboratories provide testing services for physicians treating patients with clinical signs of mosquito-borne disease.

DOH continues to conduct statewide surveillance for mosquito borne illnesses, including West Nile (WN) virus, Eastern Equine Encephalomyelitis (EEE), St. Louis Encephalitis (SLE), malaria and dengue. For more information on mosquito-borne illnesses, visit DOH's Environmental Health Web site at <http://www.doh.state.fl.us/Environment/community/arboviral/index.html>, call the West Nile Virus Hot line at 1-888-880-5782 or your local county health department.

The Florida Fish and Wildlife Conservation Commission maintains a Web site for reporting wild bird die offs related to West Nile Virus. To report a suspected case, visit <http://wildflorida.org/bird>.

Florida Emergency Information Line: 1-800-342-3557

Public Information Emergency Support Function: 850-921-0384

###